



CELESTRON Price List 04-2012

| TELESCOPES | | | | |
|------------------------------|---------------------|---|--------|-----------|
| CGE™ PRO with EdgeHD™ Optics | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11092 | CGE Pro 925 HD | • 9.25" EdgeHD Optics • 2350 mm focal length (f/10) • StarBright™ XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm Axiom eyepiece (102x) -2" • Star diagonal 2" • CGE Pro computerized German equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center leg brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 22 lb counterweight • NexRemote™ telescope control software • RS-232 cable • Car battery adapter • Fastar™ compatible | China | 12 848 |
| 11093 | CGE Pro 1100 HD | • 11" EdgeHD Optics • 2800 mm focal length (f/10) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm Axiom eyepiece (122x) -2" • Star diagonal 2" • CGE Pro computerized German equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center leg brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Two 22 lb counterweights • NexRemote telescope control software • RS-232 cable • Car battery adapter • Fastar compatible | China | 13 937 |
| 11094 | CGE Pro 1400 HD | • 14" EdgeHD Optics • 3910 mm focal length (f/11) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm Axiom eyepiece (170x) -2" • Star diagonal 2" • CGE Pro computerized German equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center leg brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Three 22 lb counterweights • NexRemote telescope control software • RS-232 cable • Car battery adapter • Fastar compatible | China | 18 075 |
| CGE™ Pro Series | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11086 | CGE Pro 925 | • 9.25" Schmidt-Cassegrain • 2350 mm focal length (f/10) • StarBright XLT coatings • 6x30 finderscope • Star diagonal - 1.25" • 25 mm eyepiece (94x) - 1.25" • Visual back - 1.25" • CGE Pro Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 22 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 11 323 |
| 11087 | CGE Pro 1100 | • 11" Schmidt-Cassegrain • 2800 mm focal length (f/10) • StarBright XLT coatings • 9x50 finderscope • Star diagonal - 1.25" • 40 mm eyepiece (70x) - 1.25" • Visual back - 1.25" • CGE Pro Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Two 22 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 12 195 |
| 11088 | CGE Pro 1400 | • 14" Schmidt-Cassegrain • 3910 mm focal length (f/11) • StarBright XLT coatings • 9x50 finderscope • Mirror diagonal - 2" • 40 mm eyepiece (98x) - 1.25" • CGE Pro Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Three 22 lb counterweights • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 16 660 |
| 11089 | CGE Pro 1400 Fastar | • 14" Schmidt-Cassegrain • 3910 mm focal length (f/11) • StarBright XLT coatings • 9x50 finderscope • Mirror diagonal - 2" • 40 mm eyepiece (98x) - 1.25" • Fastar compatible • CGE Pro Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Three 22 lb counterweights • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 17 531 |
| CGEM™ DX with EdgeHD™ Optics | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11002 | CGEM DX 1100 HD | • 11" EdgeHD Optics • 2800 mm focal length (f/10) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm, 82° eyepiece (122x) -2" • Star diagonal 2" • CGEM DX Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 22 lb counterweight • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Fastar compatible | China | 8 734 |
| 11004 | CGEM DX 1400 HD | • 14" EdgeHD Optics • 3910 mm focal length (f/11) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm, 82° eyepiece (170x) -2" • Star diagonal 2" • CGEM DX Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Two 22 lb counterweights • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Fastar compatible | China | 14 022 |
| CGEM™ DX Series | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11000 | CGEM CX 1100 | • 11" Schmidt-Cassegrain • 2800 mm focal length (f/10) • StarBright XLT coatings • 9x50 finderscope • Star diagonal - 1.25" • 40 mm eyepiece (70x) - 1.25" • Visual back - 1.25" • CGEM DX Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 22 lb counterweight • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter | China | 5 766 |
| 11001 | CGEM DX 1400 | • 14" Schmidt-Cassegrain • 2800 mm focal length (f/11) • StarBright XLT coatings • 9x50 finderscope • Star diagonal - 2" • 40 mm eyepiece (98x) - 1.25" • CGEM DX Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Two 22 lb counterweights • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter | China | 12 527 |
| CGEM™ with EdgeHD™ Optics | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11080 | CGEM 800 HD | • 8" EdgeHD Optics • 2032 mm focal length (f/10) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 40 mm Plössl eyepiece (51x) -1.25" • Star diagonal 1.25" • CGEM computerized German equatorial mount • Rugged adjustable height 2" steel leg tripod with center leg brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 17 lb counterweight • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Fastar compatible | China | 4 164 |
| 11081 | CGEM 925 HD | • 9.25" EdgeHD Optics • 2350 mm focal length (f/10) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm Axiom eyepiece (102x) -2" • Star diagonal 2" • CGEM computerized German equatorial mount • Rugged adjustable height 2" steel leg tripod with center leg brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 17 lb counterweight • One 11 lb counterweight • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Fastar compatible | China | 6 895 |
| 11082 | CGEM 1100 HD | • 11" EdgeHD Optics • 2800 mm focal length (f/10) • StarBright XLT coatings • Aluminum optical tube • 9x50 finderscope • 23 mm Axiom eyepiece (122x) -2" • Star diagonal 2" • CGEM computerized German equatorial mount • Rugged adjustable height 2" steel leg tripod with center leg brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Two 17 lb counterweights • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Fastar compatible | China | 7 863 |

| CGEM™ SERIES | | | | |
|---------------------|-----------|--|--------|--------------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11097 | CGEM 800 | • 8" Schmidt-Cassegrain • 2032 mm focal length (f/10) • StarBright XLT coatings • 6x30 finderscope • Star diagonal – 1.25" • 25 mm eyepiece (81x) – 1.25" • Visual back – 1.25" • CGEM Computerized German Equatorial mount • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 17 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 3 611 |
| 11098 | CGEM 925 | • 9.25" Schmidt-Cassegrain • 2350 mm focal length (f/10) • StarBright XLT coatings • 6x30 finderscope • Star diagonal – 1.25" • 25 mm eyepiece (94x) – 1.25" • Visual back – 1.25" • CGEM Computerized German Equatorial mount • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 17 lb counterweight • One 11 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 4 116 |
| 11099 | CGEM 1100 | • 11" Schmidt-Cassegrain • 2800 mm focal length (f/10) • StarBright XLT coatings • 9x50 finderscope • Star diagonal – 1.25" • 40 mm eyepiece (70x) – 1.25" • Visual back – 1.25" • CGEM Computerized German Equatorial mount • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • Two 17 lb counterweights • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 5 186 |

| CPC DELUXE HD® SERIES – NEW! | | | | |
|-------------------------------------|--------------------|---|--------|--------------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11007 | CPC Deluxe 800 HD | • 8" EdgeHD Optics 2032 mm focal length (f/10) • Starbright XLT coatings • 50 mm finderscope • 40 mm Plössl eyepiece (51x) – 1.25" • Star diagonal – 1.25" • Computer driven GoTo with 40,000+ object database • Improved CPC mount and drive electronics • Computerized flash upgradeable hand control with SkyAlign™ alignment procedure and NexStar® technology • Global Positioning System built-in • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Adjustable height tripod and accessory tray • FASTAR Compatible | China | 3 524 |
| 11008 | CPC Deluxe 925 HD | • 9.25" EdgeHD Optics • 2350 mm focal length (f/10) • Starbright XLT coatings • 50 mm finderscope • 23 mm, 82° eyepiece (102x) – 2" • Star diagonal – 2" • Computer driven GoTo with 40,000+ object database • Improved CPC mount and drive electronics • Computerized flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • Global Positioning System built-in • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Adjustable height tripod and accessory tray • FASTAR Compatible | China | 6 320 |
| 11009 | CPC Deluxe 1100 HD | • 11" EdgeHD Optics • 2800 mm focal length (f/10) • Starbright XLT coatings • 50 mm finderscope • 23 mm, 82° eyepiece (122x) – 2" • Star diagonal – 2" • Computer driven GoTo with 40,000+ object database • Improved CPC mount and drive electronics • Computerized flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • Global Positioning System built-in • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Adjustable height tripod and accessory tray • FASTAR Compatible | China | 7 504 |

| CPC® SERIES | | | | |
|--------------------|--------------|---|--------|--------------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 11073-XLT | CPC 800 GPS | • 8" Schmidt-Cassegrain • 2032 mm focal length (f/10) • Starbright XLT coatings • 50 mm finderscope • 40 mm Plössl eyepiece (51x) – 1.25" • Star diagonal – 1.25" • Computer driven GoTo with 40,000+ object database • Computerized flash upgradeable hand control with SkyAlign™ alignment procedure and NexStar™ technology • Global Positioning System built-in • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Adjustable height tripod | China | 2 772 |
| 11074-XLT | CPC 925 GPS | • 9.25" Schmidt-Cassegrain • 2350 mm focal length (f/10) • Starbright XLT coatings • 50 mm finderscope • 40 mm Plössl eyepiece (59x) – 1.25" • Star diagonal – 1.25" • Computer driven GoTo with 40,000+ object database • Computerized flash upgradeable hand control with SkyAlign™ alignment procedure and NexStar™ technology • Global Positioning System built-in • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Adjustable height tripod | China | 3 488 |
| 11075-XLT | CPC 1100 GPS | • 11" Schmidt-Cassegrain • 2800 mm focal length (f/10) • Starbright XLT coatings • 50 mm finderscope • 40 mm Plössl eyepiece (70x) – 1.25" • Star diagonal – 1.25" • Computer driven GoTo with 40,000+ object database • Computerized flash upgradeable hand control with SkyAlign™ alignment procedure and NexStar™ technology • Global Positioning System built-in • NexRemote Telescope Control Software • RS-232 cable • Car battery adapter • Adjustable height tripod | China | 4 623 |

| ADVANCED SERIES™ | | | | |
|-------------------------|-----------|--|--------|--------------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 31054 | C6-NGT | • 150 mm (6") diameter Newtonian reflector (parabola) • 750 mm focal length (f/5) • 6x30 finderscope • 20 mm Plössl eyepiece (38x) – 1.25" • Focuser 1.25" • "The Sky X" First Light edition CD-ROM • Glossy black tube color • Heavy duty (CG-5) German Equatorial mount • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • One 11 lb counterweight • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 1 326 |
| 21020 | C6-RGT | • 150 mm (6") diameter refractor • 1200 mm focal length (f/8) • Heavy duty (CG-5) German Equatorial mount • 9x50 finderscope • 20 mm Plössl eyepiece (60x) – 1.25" • Focuser 2" • Star diagonal 1.25" • 2x Barlow • Photo adapter • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Two 11 lb counterweights • "The Sky X" First Light edition CD-ROM • Glossy black tube color • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 2 084 |
| 31062 | C8-NGT | • 200 mm (8") diameter Newtonian reflector (parabola) • 1000 mm focal length (f/5) • Heavy duty (CG-5) German Equatorial mount • 9x50 finderscope • 20 mm Plössl eyepiece (50x) – 1.25" • Focuser 2" • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Two 11 lb counterweights • "The Sky X" First Light edition CD-ROM • Glossy black tube color • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 1 524 |
| 11048 | C10-NGT | • 254 mm (10") diameter Newtonian reflector (parabola) • 1200 mm focal length (f/4.7) • Heavy duty (CG-5) German Equatorial mount • 9x50 finderscope • 20mm Plössl eyepiece (60x) – 1.25" • Focuser – 2" • "The Sky X" First Light edition CD-ROM • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Three 11 lb counterweights • Glossy black tube color • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 2 196 |
| 11079-XLT | C6-SGT | • 150 mm (6") Schmidt-Cassegrain • 1500 mm focal length (f/10) • StarBright XLT coatings • 6x30 finderscope • 25 mm Plössl eyepiece (60x) – 1.25" • Star diagonal • Heavy duty (CG-5) German Equatorial mount • "The Sky X" First Light edition CD-ROM • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • One 11 lb counterweight • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 1 923 |
| 11026-XLT | C8-SGT | • 8" Schmidt-Cassegrain • 2032 mm focal length (f/10) • StarBright XLT coatings • 6x30 finderscope • 25 mm eyepiece (81x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Heavy duty (CG-5) German Equatorial mount • "The Sky X" First Light edition CD-ROM • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • One 11 lb counterweight • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 2 325 |
| 11046-XLT | C9.25-SGT | • 9.25 " Schmidt-Cassegrain • 2350 mm focal length (f/10) • StarBright XLT coatings • 6x30 finderscope • 25 mm eyepiece (94x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • "The Sky X" First Light edition CD-ROM • Heavy duty (CG-5) German Equatorial mount • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Two 11 lb counterweights • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 2 813 |
| 11067-XLT | C11-SGT | • 11" Schmidt Cassegrain • 2800 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 40 mm eyepiece (70x) 1.25" • Star diagonal – 1.25" • Heavy duty (CG-5) German Equatorial mount • "The Sky X" First Light edition CD-ROM • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Three 11 lb counterweights • Dual-axis slew motors • Computerized flash upgradeable hand control with 40,000+ object database • Car battery adapter | China | 3 689 |

| NEXSTAR® SE | | | | |
|--------------------|-------|-------------|--------|-----------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |

| | | | | |
|-------|-------------|---|-------|-------|
| 11049 | NexStar 4SE | • 4" Maksutov-Cassegrain • 1325 mm focal length (f/13) • Starbright XLT coatings • StarPointer™ finderscope • 25 mm eyepiece (53x) • Internal flip mirror (for straight thru or 90° viewing angle) • Single fork arm Altazimuth mount • Computer driven GoTo telescope with 40,000 object database • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • NexRemote telescope control software • RS-232 cable • Steel tripod with built-in wedge • "The Sky X" First Light edition CD-ROM • Camera control cable | China | 842 |
| 11036 | NexStar 5SE | • 5" Schmidt-Cassegrain • 1250 mm focal length (f/10) • Starbright XLT coatings • StarPointer finderscope • 25 mm eyepiece (50x) • Star diagonal 1.25" • Single fork arm Altazimuth mount • Computer driven GoTo telescope with 40,000 object database • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • NexRemote telescope control software • RS-232 cable • Steel tripod with built-in wedge • "The Sky X" First Light edition CD-ROM • Camera control cable | China | 1 397 |
| 11068 | NexStar 6SE | • 6" Schmidt-Cassegrain • 1500 mm focal length (f/10) • Starbright XLT coatings • StarPointer finderscope • 25 mm eyepiece (60x) • Star diagonal 1.25" • Single fork arm Altazimuth mount • Computer driven GoTo telescope with 40,000 object database • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • NexRemote telescope control software • RS-232 cable • Steel tripod • "The Sky X" First Light edition CD-ROM | China | 1 647 |
| 11069 | NexStar 8SE | • 8" Schmidt-Cassegrain • 2032 mm focal length (f/10) • Starbright XLT coatings • StarPointer finderscope • 25 mm eyepiece (81x) • Star diagonal 1.25" • Single fork arm Altazimuth mount • Computer driven GoTo telescope with 40,000 object database • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • NexRemote telescope control software • RS-232 cable • Steel tripod • "The Sky X" First Light edition CD-ROM | China | 2 602 |

SKYPRODIGY®

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|---------------------|--|--------|-----------|
| 22089 | SkyProdigy 70 | • 70 mm (2.8") diameter refractor telescope • 700 mm focal length (f/10) • Computer driven GoTo mount with StarSense technology • 25 mm eyepiece (28x) - 1.25" • 9 mm eyepiece (78x) - 1.25" • StarPointer finderscope • DC operation (batteries not included) • Pre-assembled adjustable stainless steel tripod • "The Sky X" First Light edition astronomy software • StarSense technology for true automatic alignment and slewing (GoTo) to over 4,000 objects • Flash upgradeable hand control | China | 1 094 |
| 22091 | SkyProdigy 90 | • 90 mm (3.5") diameter Maksutov telescope • 1250 mm focal length (f/14) • Computer driven GoTo mount with StarSense technology • 25 mm eyepiece (50x) - 1.25" • 9 mm eyepiece (139x) - 1.25" • Star diagonal - 1.25" • StarPointer finderscope • DC operation (batteries not included) • Pre-assembled adjustable stainless steel tripod • "The Sky X" First Light edition astronomy software • StarSense technology for true automatic alignment and slewing (GoTo) to over 4,000 objects • Flash upgradeable hand control | China | 1 231 |
| 31153 | SkyProdigy 130 | • 130 mm (5") diameter Newtonian reflector telescope • 650 mm focal length (f/5) • Computer driven GoTo mount with StarSense technology • 25 mm eyepiece (26x) - 1.25" • 9 mm eyepiece (72x) - 1.25" • StarPointer finderscope • DC operation (batteries not included) • Pre-assembled adjustable stainless steel tripod • "The Sky X" First Light edition astronomy software • StarSense technology for true automatic alignment and slewing (GoTo) to over 4,000 objects • Flash upgradeable hand control | China | 1 250 |
| 22090 | SkyProdigy 102 NEW! | • 102mm (4") diameter refractor telescope • 660mm focal length (f/6.5) • Computer driven GoTo mount with StarSense technology • 25mm eyepiece (26x) - 1.25" • 9mm eyepiece (73x) - 1.25" • Star diagonal - 1.25" • StarPointer finderscope • DC operation (batteries not included) • Pre-assembled adjustable stainless steel tripod • The "Sky X" First Light edition CD-ROM • StarSense technology for true automatic alignment and slewing (GoTo) to over 4,000 objects • Flash upgradeable hand control. | China | 1 260 |
| 11076 | SkyProdigy 6 NEW! | • 150mm (6") diameter Schmidt-Cassegrain telescope • 1500mm focal length (f/10) • Computer driven GoTo mount with StarSense technology • 25mm eyepiece (60x) - 1.25" • 9mm eyepiece (167x) - 1.25" • Star diagonal - 1.25" • StarPointer finderscope • DC operation (batteries not included) • Pre-assembled adjustable stainless steel tripod • The "Sky X" First Light edition CD-ROM • StarSense technology for true automatic alignment and slewing (GoTo) to over 4,000 objects • Flash upgradeable hand control. | China | 1 952 |

NEXSTAR SLT®

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-----------------|---|--------|-----------|
| 22076 | NexStar 60 SLT | • 60mm (2.4") diameter • 700mm focal length (f/12) • Computer driven Go To refractor telescope • Star Pointer finderscope • 25mm eyepiece (28x) - 1.25" • 9mm eyepiece (78x) - 1.25" • Star diagonal - 1.25" • DC operation (batteries not included) • "The Sky Level 1" CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology with object database for automatic slewing (GoTo) and tracking of over 4,000 objects. | China | 399 |
| 22086 | NexStar 80 SLT | • 80mm (3.1") diameter • 900mm focal length (f/11) • Computer driven Go To telescope • Star Pointer finderscope • 25mm eyepiece (36x) - 1.25" • 9mm eyepiece (100x) - 1.25" • Star diagonal - 1.25" • DC operation (batteries not included) • "The Sky" Level 1 CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology with object database for automatic slewing (GoTo) and tracking of over 4,000 objects. | China | 560 |
| 22087 | NexStar 90SLT | • 90 mm (3.5") diameter • 1250 mm focal length (f/14) • Computer driven GoTo short tube Maksutov - Cassegrain telescope • StarPointer finderscope • 25 mm eyepiece (50x) - 1.25" • 9 mm eyepiece (139x) - 1.25" • Star diagonal - 1.25" • DC operation (batteries not included) • The "Sky X" First Light edition CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 638 |
| 22097 | NexStar 127SLT | • 127 mm (5") diameter • 1500 mm focal length (f/12) • Computer driven GoTo short tube Maksutov - Cassegrain telescope • StarPointer finderscope • 25 mm eyepiece (60x) - 1.25" • 9 mm eyepiece (167x) - 1.25" • Star diagonal - 1.25" • DC operation (batteries not included) • The "Sky X" First Light edition CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 772 |
| 22096 | NexStar 102SLT | • 102 mm (4.0") diameter • 660 mm focal length (f/6) • Computer driven GoTo short tube refractor telescope • StarPointer finderscope • 25 mm eyepiece (26x) - 1.25" • 9 mm eyepiece (73x) - 1.25" • Star diagonal - 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 732 |
| 31143 | NexStar 114 SLT | • 114mm (4.5") diameter • 1000mm focal length (f/9) • Computer driven Go To short tube Newtonian reflector telescope • Star Pointer finderscope • 25mm eyepiece (40x) - 1.25" • 9mm eyepiece (111x) - 1.25" • DC operation (batteries not included) • "The Sky" Level 1 CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology with object database for automatic slewing (GoTo) and tracking of over 4,000 objects. | China | 531 |
| 31145 | NexStar 130SLT | • 130 mm (5.1") diameter • 650 mm focal length (f/5) • Computer driven GoTo short tube Newtonian reflector telescope • StarPointer finderscope • 25 mm eyepiece (26x) - 1.25" • 9 mm eyepiece (72x) - 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 696 |

LCM® Computerized Telescopes

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-------|--|--------|-----------|
| 22050 | 60LCM | • 60 mm (2.4") diameter refractor telescope • 700 mm focal length (f/12) • Lightweight Computerized Mount with GOTO slewing • Built-on StarPointer finderscope • 25 mm eyepiece (50x) - 1.25" • 9 mm eyepiece (78x) - 1.25" • Star diagonal - 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition CD-ROM • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 350 |

| | | | | |
|-------|--------|---|-------|-----|
| 22052 | 70LCM | • 70 mm (2.8") diameter refractor telescope • 900 mm focal length (f/13) • Lightweight Computerized Mount with GOTO slewing • Built-on StarPointer finderscope • 25 mm eyepiece (36x) – 1.25" • 9 mm eyepiece (100x) – 1.25" • Star diagonal – 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition astronomy software • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 398 |
| 31151 | 76LCM | • 76 mm (3") diameter reflector telescope • 700 mm focal length (f/9) • Lightweight Computerized Mount with GOTO slewing • Built-on StarPointer finderscope • 25 mm eyepiece (28x) – 1.25" • 9 mm eyepiece (78x) – 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition astronomy software • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 406 |
| 22051 | 80LCM | • 80 mm (3.2") diameter refractor telescope • 900 mm focal length (f/11) • Lightweight Computerized Mount with GOTO slewing • Built-on StarPointer finderscope • 25 mm eyepiece (36x) – 1.25" • 9 mm eyepiece (100x) – 1.25" • Star diagonal – 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition astronomy software • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 469 |
| 22054 | 90LCM | • 90 mm (3.5") diameter refractor telescope • 660 mm focal length (f/7.3) • Lightweight Computerized Mount with GOTO slewing • Built-on StarPointer finderscope • 25 mm eyepiece (26x) – 1.25" • 9 mm eyepiece (73x) – 1.25" • Star diagonal – 1.25" • DC operation (batteries not included) • "The Sky X" First Light edition astronomy software • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 517 |
| 31150 | 114LCM | • 114 mm (4.5") diameter reflector telescope • 1000 mm focal length (f/9) • Lightweight Computerized Mount with GOTO slewing • Built-on StarPointer finderscope • 25 mm eyepiece (40x) – 1.25" • 9 mm eyepiece (111x) – 1.25" • DC operation (batteries not included) • The Sky X" First Light edition CD-ROM • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (GoTo) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 467 |

| OMNI XLT® | | | | |
|-----------|--------------|--|--------|-----------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 21088 | Omni XLT102 | • 102 mm (4") diameter refractor • 1000 mm focal length (f/10) • Starbright XLT coatings • Heavy duty Omni CG-4 German Equatorial mount with RA and DEC slow-motion controls and setting circles • 6x30 finderscope • 25 mm multi-coated eyepiece (40x) 1.25" • Focuser 2" • Star diagonal 1.25" • Rugged adjustable height 1.75" steel leg tripod with center brace/accessory tray • Two counterweights (7 lb and 4 lb) • "The Sky X" First Light edition CD-ROM | China | 781 |
| 21090 | Omni XLT120 | • 120 mm (4.7") diameter refractor • 1000 mm focal length (f/8.3) • Starbright XLT coatings • Heavy duty Omni CG-4 German Equatorial mount with RA and DEC slow-motion controls and setting circles • 6x30 finderscope • 25 mm multi-coated eyepiece (40x) 1.25" • Focuser 2" • Star diagonal 1.25" • Rugged adjustable height 1.75" steel leg tripod with center brace/accessory tray • Two counterweights (7 lb and 4 lb) • "The Sky X" First Light edition CD-ROM | China | 868 |
| 31057 | Omni XLT150 | • 150 mm (6") diameter Newtonian reflector • 750 mm focal length (f/5) • Starbright XLT coatings • Heavy duty Omni CG-4 German Equatorial mount with RA and DEC slow-motion controls and setting circles • 6x30 finderscope • 25 mm multi-coated eyepiece (30x) 1.25" • Focuser 1.25" • Rugged adjustable height 1.75" steel leg tripod with center brace/accessory tray • Two counterweights (7 lb and 4 lb) • "The Sky X" First Light edition CD-ROM | China | 785 |
| 21094 | Omni XLT150R | • 150 mm (6") diameter refractor • 750 mm focal length (f/5) • Starbright XLT coatings • Heavy duty Omni CG-4 German Equatorial mount with RA and DEC slow-motion controls and setting circles • 6x30 finderscope • 25 mm multi-coated eyepieces (30x) – 1.25" • Focuser 2" • Star diagonal 1.25" • Rugged adjustable height 1.75" steel leg tripod with center brace/accessory tray • Two counterweights (7 lb and 4 lb) • "The Sky X" First Light edition CD-ROM | China | 1 454 |
| 11084 | Omni XLT127 | • 127 mm (5") diameter Schmidt-Cassegrain • 1250 mm focal length (f/10) • Starbright XLT coatings • Heavy duty Omni CG-4 German Equatorial mount with RA and DEC slow-motion controls and setting circles • 6x30 finderscope • 25 mm multi-coated eyepiece (50x) 1.25" • Visual back 1.25" • Rugged adjustable height 1.75" steel leg tripod with center brace/accessory tray • Two counterweights (7 lb and 4 lb) • "The Sky X" First Light edition CD-ROM | China | 1 014 |

| ASTROMASTER® LT | | | | |
|-----------------|-------------------------|---|--------|-----------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 21073 | AstroMaster LT60AZ NEW! | • 60mm (2.4") diameter refractor • 700mm focal length (f/12) • Altazimuth mount • Built-on StarPointer finderscope • 20mm eyepiece (35x) 1.25" • 10mm eyepiece (70x) 1.25" • Star diagonal 1.25" • Adjustable height 1" steel leg tripod with accessory tray • The Sky X First Light Edition astronomy software | China | 125 |
| 21074 | AstroMaster LT70AZ NEW! | • 70mm (2.7") diameter refractor • 700mm focal length (f/10) • Altazimuth mount • Built-on StarPointer finderscope • 20mm eyepiece (35x) 1.25" • 10mm eyepiece (70x) 1.25" • Star diagonal 1.25" • Adjustable height 1" steel leg tripod with accessory tray • The Sky X First Light Edition astronomy software | China | 138 |
| 31036 | AstroMaster LT76AZ NEW! | • 76mm (3.0") diameter Newtonian reflector • 700mm focal length (f/9) • Altazimuth mount • built-on StarPointer finderscope • 20mm eyepiece (35x) 1.25" • 10mm eyepiece (70x) 1.25" • Adjustable height 1" steel leg tripod with accessory tray • The Sky X First Light Edition astronomy software | China | 143 |

| ASTROMASTER® | | | | |
|--------------|----------------------|--|--------|-----------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 21061 | AstroMaster 70AZ | • 70 mm (2.8") diameter refractor • 900 mm focal length (f/13) • Altazimuth mount • Built-on StarPointer finderscope • 20 mm eyepiece (45x) 1.25" • 10 mm eyepiece (90x) 1.25" • Erect image diagonal 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 156 |
| 21062 | AstroMaster 70EQ | • 70 mm (2.8") diameter refractor • 900 mm focal length (f/13) • German Equatorial mount (CG-2) with RA and Dec slow-motion controls and setting circles • Built-on StarPointer finderscope • 20 mm eyepiece (45x) 1.25" • 10 mm eyepiece (90x) 1.25" • Erect image diagonal 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 190 |
| 21063 | AstroMaster 90AZ | • 90 mm (3.5") diameter refractor • 1000 mm focal length (f/11) • Altazimuth mount • Built-on StarPointer finderscope • 20 mm eyepiece (50x) 1.25" • 10 mm eyepiece (100x) 1.25" • Erect image diagonal 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 297 |
| 21064 | AstroMaster 90EQ | • 90 mm (3.5") diameter refractor • 1000 mm focal length (f/11) • German Equatorial mount (CG-3) with RA and Dec slow-motion controls and setting circles • Built-on StarPointer finderscope • 20 mm eyepiece (50x) 1.25" • 10 mm eyepiece (100x) 1.25" • Erect image diagonal 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 301 |
| 31035 | AstroMaster 76EQ | • 76 mm (3") diameter Newtonian reflector • 700 mm focal length (f/9) • German Equatorial mount (CG-2) with RA and DEC slow-motion controls and setting circles • Built-on StarPointer finderscope • 20 mm erect image eyepiece (35x) • 10 mm eyepiece (70x) 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 179 |
| 31042 | AstroMaster 114EQ | • 114 mm (4.5") diameter Newtonian reflector • 1000 mm focal length (f/9) • German Equatorial mount (CG-2) with RA and DEC slow-motion controls and setting circles • Built-on StarPointer finderscope • 20 mm erect image eyepiece (50x) • 10 mm eyepiece (100x) 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 239 |
| 31045 | AstroMaster 130EQ | • 130 mm (5") diameter Newtonian reflector • 650 mm focal length (f/5) • German Equatorial mount (CG-3) with RA and DEC slow-motion controls and setting circles • Built-on StarPointer finderscope • 20 mm erect image eyepiece (33x) • 10 mm eyepiece (65x) 1.25" • Adjustable height 1.25" steel leg tripod with accessory tray • "The Sky X" First Light edition CD-ROM | China | 285 |
| 31051 | AstroMaster 130EQ MD | • Same as #31045, except also includes an R.A. motor drive | China | 332 |

| POWERSEEKER® | | | | |
|--------------|---------------------|---|--------|-----------|
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 21007 | PowerSeeker 40TT AZ | • 40mm (2") diameter refractor • 400mm focal length (f/10) • Altazimuth mount • finderscope • 20mm eyepiece (20x) • 8mm eyepiece (50x) • 1.5x erecting eyepiece • 2x Barlow lens • Tabletop tripod • "The Sky Level 1" CD-ROM • Nylon Carry Bag | China | 47 |

| | | | | |
|-------|---------------------|---|-------|-----|
| 21008 | PowerSeeker 40AZ | • 40mm (2") diameter refractor • 400mm focal length (f/10) • Altazimuth mount • finderscope • 12.5mm eyepiece (40x) • 8mm eyepiece (63x) • 1.5x erecting eyepiece • 2x Barlow lens • "The Sky Level 1" CD-ROM | China | 49 |
| 21009 | PowerSeeker 50TT AZ | • 50mm (2") diameter refractor • 600mm focal length (f/12) • Altazimuth mount • finderscope • 20mm eyepiece (25x) • 8mm eyepiece (63x) • Barlow lens 2x • 1.5x erecting eyepiece • Tabletop tripod • "The Sky Level 1" CD-ROM • Nylon Carry Bag | China | 53 |
| 21039 | PowerSeeker 50AZ | • 50 mm (2") diameter refractor • 600 mm focal length (f/12) • Altazimuth mount • 5x24 finderscope • 20 mm eyepiece (30x) – .96" • 12 mm eyepiece (50x) – .96" • 4 mm eyepiece (150x) – .96" • Star diagonal – .96" • Barlow lens 3x – .96" • 1.5x image erecting eyepiece • Adjustable aluminum tripod • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 61 |
| 21041 | PowerSeeker 60AZ | • 60 mm (2.4") diameter refractor • 700 mm focal length (f/12) • Altazimuth mount • 5x24 finderscope • 20 mm eyepiece (35x) – 1.25" • 4 mm eyepiece (175x) – 1.25" • Erect image diagonal 1.25" • Barlow lens 3x – 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 92 |
| 21036 | PowerSeeker 70AZ | • 70 mm (2.8") diameter refractor • 700 mm focal length (f/10) • Altazimuth mount • 5x24 finderscope • 20 mm eyepiece (35x) – 1.25" • 4 mm eyepiece (175x) – 1.25" • Erect image diagonal 1.25" • Barlow lens 3x – 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 120 |
| 21043 | PowerSeeker 60EQ | • 60 mm (2.4") diameter refractor • 900 mm focal length (f/15) • German Equatorial mount with RA and DEC slow-motion controls and setting circles • 5x24 finderscope • 20 mm eyepiece (45x) – 1.25" • 4 mm eyepiece (225x) – 1.25" • Erect image diagonal – 1.25" • Barlow lens 3x – 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 142 |
| 21037 | PowerSeeker 70EQ | • 70 mm (2.8") diameter refractor • 700 mm focal length (f/10) • German Equatorial mount with RA and DEC slow-motion controls and setting circles • 5x24 finderscope • 20 mm eyepiece (35x) – .25" • 4 mm eyepiece (175x) – 1.25" • Erect image diagonal – 1.25" • Barlow lens 3x – 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 170 |
| 21048 | PowerSeeker 80EQ | • 80 mm (3.1") diameter refractor • 900 mm focal length (f/11) • German Equatorial mount with RA and DEC slow-motion controls and setting circles • 5x24 finderscope • 20 mm eyepiece (45x) – 1.25" • 4 mm eyepiece (225x) – 1.25" • Erect image diagonal – 1.25" • Barlow lens 3x – 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 205 |
| 21045 | PowerSeeker 114EQ | • 14 mm (4.5") diameter Newtonian reflector • 900 mm focal length (f/8) • German Equatorial mount with RA and DEC slow-motion controls and setting circles • 5x24 finderscope • 20 mm erect image eyepiece (45x) – 1.25" • 4 mm eyepiece (225x) – 1.25" • Barlow lens 3x – 1.25" • Focuser 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 205 |
| 21049 | PowerSeeker 127EQ | • 127 mm (5") diameter Newtonian reflector • 1000 mm focal length (f/8) • German Equatorial mount with RA and DEC slow-motion controls and setting circles • 5x24 finderscope • 20 mm erect image eyepiece (50x) – 1.25" • 4 mm eyepiece (250x) – 1.25" • Barlow lens 3x – 1.25" • Focuser 1.25" • Adjustable aluminum tripod with accessory tray • "The Sky X" First Light edition CD-ROM • Metallic charcoal black tube color | China | 237 |

SPECIALTY SERIES

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|--------------------------------|--|--------|-----------|
| 21024 | FirstScope | • 76 mm (3") diameter Dobsonian reflector • 300 mm focal length (f/4) • Tabletop Dobsonian mount • 20 mm eyepiece (15x) • 4 mm eyepiece (75x) | China | 76 |
| 21024-50 | FirstScope 50th Anniv. Edition | Newton Reflector (76mm diameter, 300mm focal length, f/4) with Dobson table mount, 1.25" eyepiece clamp and four eyepieces (4mm, 6mm, 12.5mm, 20mm), finderscope and carrying bag, CD Rom „The Sky X“. Weight only 2kg! | China | 88 |
| 21038 | Travel Scope 50 | • 50 mm (2.0") diameter refractor • 360 mm focal length (f/7.2) • 2x20 finderscope • Photographic tripod – full size • 20 mm eyepiece (20x) – 1.25" • 8 mm eyepiece (45x) • Erect image diagonal – 1.25" • "The SkyX" CD-ROM • Backpack holds everything • Metallic charcoal black tube color | China | 73 |
| 21035 | Travel Scope 70 | • 70 mm (2.8") diameter refractor • 400 mm focal length (f/5.7) • 5x24 finderscope • Photographic tripod – full size • 20 mm eyepiece (20x) – 1.25" • 10 mm eyepiece (40x) • Erect image diagonal – 1.25" • "The SkyX" CD-ROM • Backpack holds everything • Metallic charcoal black tube color | China | 109 |
| 21034 | Ambassador 80AZ | • 80 mm (3.1") diameter refractor • 800 mm focal length (f/10) • Altazimuth mount • 6x30 erect image finderscope • 25 mm eyepiece (32x) – 1.25" • Erect image diagonal – 1.25" • Adjustable height mahogany wood tripod • All brass optical tube, mount, and tripod hardware | China | 1 270 |

MOUNTS

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|------------------------------|--|--------|-----------|
| 91509 | Omni CG-4 Mount | • German Equatorial mount and tripod as supplied with all Omni XLT Series telescopes • Includes RA and DEC slow motion controls and setting circles • Tripod has adjustable height 1.75" steel leg tripod with center brace/accessory tray • Two counterweights – 7 lb and 4 lb | China | 481 |
| 91203 | NX SE 6/8 Computerized Mount | AltAz Computerized mount as supplied with all NexStar 6/8 telescope • Computer driven Go To telescope with 40,000 object database • Flash upgradeable hand control with SkyAlign alignment procedure and NexStar technology • NexRemote telescope control software • RS-232 cable • Steel tripod • "The Sky X" First Light edition CD-ROM | China | 986 |
| 91205 | NX SLT Computerized Mount | AltAz Computerized mount as supplied with all NexStarSLT telescopes • DC operation (batteries not included) • "The Sky X" First Light edition CD-ROM • Pre-assembled adjustable stainless steel tripod • NSOL telescope control software for controlling NexStar via laptop or PC • NexStar technology with database for automatic slewing (Go To) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 576 |
| 70000 | GT 60/80 Computerized Mount | AltAz Computerized mount as supplied with all NexStar LCM telescopes • DC operation (batteries not included) • "The Sky X" First Light edition CD-ROM • Pre-assembled adjustable tripod with accessory tray • NexStar technology with database for automatic slewing (Go To) and tracking of over 4,000 objects • Flash upgradeable hand control with SkyAlign alignment procedure | China | 318 |
| 91518 | CG-5 Computerized Mount | • German Equatorial mount and tripod as supplied with most Advanced Series telescopes • Includes one 11 lb counterweight plus supplied with dual-axis slew motors and computerized hand control with 40,000+ object database | China | 1 215 |
| 91526 | CGEM Computerized Mount | • CGEM Computerized German Equatorial mount • Rugged adjustable height 2" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 17 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 2 560 |
| 91528 | CGEM DX Computerized Mount | • CGEM DX Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 22 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 3 510 |
| 91527 | CGE Pro Computerized Mount | • CGE Pro Computerized German Equatorial mount • Rugged adjustable height 2.75" steel leg tripod with center brace/accessory tray • Flash upgradeable hand control with 40,000+ object database • One 22 lb counterweight • NexRemote Telescope Control Software • RS-232 Cable • Car battery adapter | China | 11 178 |

OPTICAL TUBES

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|-----------|---------------|--|--------|-----------|
| 91010-XLT | C6-A (XLT) | • 6" Schmidt-Cassegrain • 1500 mm focal length (f/10) • Starbright XLT coatings • 6x30 finderscope • 25 mm eyepiece (60x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar (CG-5) • Aluminum optical tube | China | 927 |
| 91024-XLT | C8-A (XLT) | • 8" Schmidt-Cassegrain, 2032 mm focal length (f/10) • Starbright XLT coatings • 6x30 finderscope • 25 mm eyepiece (81x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar (CGE) • Aluminum optical tube | China | 1 367 |
| 91020-XLT | C8-A (XLT) | • 8" Schmidt-Cassegrain, 2032 mm focal length (f/10) • Starbright XLT coatings • 6x30 finderscope • 25 mm eyepiece (81x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar (CG-5) • Aluminum optical tube | China | 1 403 |
| 91027-XLT | C9.25-A (XLT) | • 9.25" Schmidt-Cassegrain • 2350 mm focal length (f/10) • Starbright XLT coatings • 6x30 finderscope • 25 mm eyepiece (94x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar (CGE) • Aluminum optical tube | China | 2 058 |
| 91025-XLT | C9.25-A (XLT) | • 9.25" Schmidt-Cassegrain • 2350 mm focal length (f/10) • Starbright XLT coatings • 6x30 finderscope • 25 mm eyepiece (94x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Aluminum optical tube • Dovetail slide bar is made to fit CG-5 mounts | China | 1 976 |

| | | | | |
|-----------|---------------------|---|-------|--------|
| 91036-XLT | C11-A (XLT) | • 11" Schmidt-Cassegrain • 2800 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 40 mm eyepiece (70x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar made to fit CGE mount • Aluminum optical tube | China | 2 721 |
| 91067-XLT | C11-A (XLT) | • 11" Schmidt-Cassegrain • 2800 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 40 mm eyepiece (70x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar made to fit CG-5 mount • Aluminum optical tube | China | 2 719 |
| 91037-XLT | C14-A (XLT) | • 14" Schmidt-Cassegrain • 3910 mm focal length (f/11) • Starbright XLT coatings • 9x50 finderscope • 40 mm eyepiece (98x) – 1.25" • Mirror diagonal – 2" • Dovetail slide bar made to fit CGE mount • Aluminum optical tube | China | 10 249 |
| 91038-XLT | C14-A (XLT) FASTAR | • 14" Schmidt-Cassegrain • 3910 mm focal length (f/11) • StarBright XLT coatings • 9x50 finderscope • 40 mm eyepiece (98x) – 1.25" • Mirror diagonal – 2" • Dovetail slide bar made to fit CGE mount • Aluminum optical tube • Fastar compatible | China | 10 646 |
| 91030-XLT | EdgeHD 800 | • 8" EdgeHD optics • 2032 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 40 mm Plossl eyepiece (51x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar (CGE) • Aluminum optical tube • Mirror tension clutches • Fastar compatible | China | 1 920 |
| 91301-XLT | EdgeHD 800 CG5 NEW! | • 8" EdgeHD optics • 2032 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 40 mm Plossl eyepiece (51x) – 1.25" • Star diagonal – 1.25" • Visual back – 1.25" • Dovetail slide bar (CG-5) • Aluminum optical tube • Mirror tension clutches • Fastar Compatible | China | 1 905 |
| 91040-XLT | EdgeHD 925 | • 9.25" EdgeHD optics • 2350 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 23 mm Axiom eyepiece (102x) – 2" • Star diagonal – 2" • Visual back – 1.25" • Dovetail slide bar (CGE) • Aluminum optical tube • Mirror support knobs • Fastar compatible | China | 4 838 |
| 91050-XLT | EdgeHD 1100 | • 11" EdgeHD optics • 2800 mm focal length (f/10) • Starbright XLT coatings • 9x50 finderscope • 23 mm Axiom eyepiece (122x) – 2" • Star diagonal – 2" • Visual back – 1.25" • Dovetail slide bar (CGE) • Aluminum optical tube • Mirror support knobs • Fastar compatible | China | 6 994 |
| 91060-XLT | EdgeHD 1400 | • 14" EdgeHD optics • 3910 mm focal length (f/11) • Starbright XLT coatings • 9x50 finderscope • 23 mm Axiom eyepiece (170x) – 2" • Star diagonal – 2" • Visual back – 1.25" • Dovetail slide bar (CGE) • Aluminum optical tube • Mirror support knobs • Fastar compatible | China | 12 098 |

SKYSCOUT

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-------------------------------|--|--------|-----------|
| 93970 | SkyScout Personal Planetarium | • Handheld personal planetarium that identifies and locates objects in the night sky • 6,000 object database with audio descriptions of over 200 popular objects • Comes with earphones, carrying case and strap, SD card expansion slot and USB cable • Over 50,000 object database (with free firmware upgrade version 1.30) | China | 508 |

SKYSCOUT CONNECT

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|------------------|--|--------|-----------|
| 93980 | SkyScout Connect | • Allows the SkyScout Personal Planetarium to connect to and control Celestron computerized telescopes • Compatible with SLT, SE, Advanced, CPC and CGE models | China | 167 |

SKYSCOUT EXPANSION CARDS

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|--|--|--------|-----------|
| 93991 | Astronomy for Beginners Expansion Card | • Astronomy for Beginners Expansion card adds to the knowledge base of the SkyScout Personal Planetarium • Topics include: Objects in the Sky, Astronomical Distances, Star Hopping and Astro Trivia | China | 35 |
| 93992 | All About the Stars Expansion Card | • All About the Stars Expansion card adds to the knowledge of the SkyScout Personal Planetarium • Topics include: Color of the Stars, Luminosity and Magnitude, Stellar Evolution and Astro Trivia | China | 35 |

GPS AND HANDHELD ELECTRONIC DEVICES

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-------------------------------|--|--------|-----------|
| 48001 | TrekGuide® - Orange | Digital Compass, Altitude, Barometer, Temperature, Time, Backlight | China | 45 |
| 48002 | TrekGuide® - Yellow | Digital Compass, Altitude, Barometer, Temperature, Time, Backlight | China | 45 |
| 48003 | TrekGuide® - Black | Digital Compass, Altitude, Barometer, Temperature, Time, Backlight | China | 45 |
| 48020 | WindGuide™ - Yellow NEW! | Anemometer/Wind gauge, Temperature | China | 44 |
| 48021 | WindGuide™ - Black NEW! | Anemometer/Wind gauge, Temperature | China | 44 |
| 48025 | WindGuide™ Plus - Yellow NEW! | Anemometer/Wind gauge, Temperature, Altitude, Barometer, Humidity | China | 100 |
| 48026 | WindGuide™ Plus - Green NEW! | Anemometer/Wind gauge, Temperature, Altitude, Barometer, Humidity | China | 100 |
| 44850 | reTrace® Lite - Green | Route Tracing with GPS and Digital Compass | China | 93 |
| 44851 | reTrace® Lite - White | Route Tracing with GPS and Digital Compass | China | 93 |
| 44856 | reTrace® Deluxe - Blue | Route Tracing with GPS and Digital Compass plus Altitude/Barometer/ Trail Mode/Temperature | China | 170 |
| 44857 | reTrace® Deluxe - White | Route Tracing with GPS and Digital Compass plus Altitude/Barometer/ Trail Mode/Temperature | China | 170 |
| 44870 | CoursePro® - Gray | Golf GPS Rangefinder | Taiwan | 173 |
| 44871 | CoursePro® - Mauve | Golf GPS Rangefinder | Taiwan | 173 |
| 44876 | CoursePro® Elite - Black | Golf GPS Rangefinder | Taiwan | 248 |
| 44877 | CoursePro® Elite - White | Golf GPS Rangefinder | Taiwan | 248 |

BINOCULARS

SKYMASTER

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|---------------------------|--------|-----------|
| 72022 | SkyMaster 8x56 | China | 273 |
| 72023 | SkyMaster 9x63 | China | 303 |
| 71009 | SkyMaster 15x70 | China | 110 |
| 71008 | SkyMaster 25x70 | China | 125 |
| 71012 | SkyMaster 20 -100x70 Zoom | China | 152 |
| 71018 | SkyMaster 20x80 | China | 189 |
| 71020 | SkyMaster 25 -125x80 Zoom | China | 189 |
| 71017 | SkyMaster 25x100 | China | 511 |

UPCLOSE® G2 – NEW!

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|-------------------------------------|--------|-----------|
| 71230 | UpClose G2 8x21 - Roof - Box NEW! | China | 22 |
| 71231 | UpClose G2 8x21 - Roof - Clam NEW! | China | 24 |
| 71232 | UpClose G2 10x25 - Roof - Box NEW! | China | 24 |
| 71233 | UpClose G2 10x25 - Roof - Clam NEW! | China | 26 |
| 71234 | UpClose G2 16x32 - Roof - Box NEW! | China | 37 |
| 71235 | UpClose G2 16x32 - Roof - Clam NEW! | China | 39 |
| 71250 | UpClose G2 7x35 - Porro - Box NEW! | China | 44 |
| 71251 | UpClose G2 7x35 - Porro - Clam NEW! | China | 45 |

| | | | |
|-------|---|-------|----|
| 71252 | UpClose G2 8x40 - Porro - Box NEW! | China | 44 |
| 71253 | UpClose G2 8x40 - Porro- Clam NEW! | China | 45 |
| 71254 | UpClose G2 7-21x40 Zoom - Porro - Box NEW! | China | 57 |
| 71255 | UpClose G2 7-21x40 Zoom - Porro- Clam NEW! | China | 59 |
| 71256 | UpClose G2 10x50 - Porro - Box NEW! | China | 48 |
| 71257 | UpClose G2 10x50 - Porro- Clam NEW! | China | 49 |
| 71258 | UpClose G2 20x50 - Porro - Box NEW! | China | 53 |
| 71259 | UpClose G2 20x50 - Porro- Clam NEW! | China | 55 |
| 71260 | UpClose G2 10-30x50 Zoom - Porro - Box NEW! | China | 67 |
| 71261 | UpClose G2 10-30x50 Zoom - Porro- Clam NEW! | China | 69 |

OUTLAND® X

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|------------------|--------|-----------|
| 71168 | Outland WP 10x42 | China | 97 |
| 71340 | Outland X 8x25 | China | 64 |
| 71341 | Outland X 10x25 | China | 67 |
| 71346 | Outland X 8x42 | China | 102 |
| 71347 | Outland X 10x42 | China | 107 |

NATURE®

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|----------------------|--------|-----------|
| 71319 | Nature 8x30 - Porro | China | 107 |
| 71320 | Nature 8x42 - Porro | China | 109 |
| 71321 | Nature 10x50 - Porro | China | 121 |
| 71326 | Nature 8x42 - Roof | China | 184 |
| 71327 | Nature 10x42 - Roof | China | 188 |

GRANITE®

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|--------------------|--------|-----------|
| 71370 | Granite 8x42 | China | 601 |
| 71372 | Granite 10x40 | China | 604 |
| 71374 | Granite 10x50 NEW! | China | 763 |
| 71376 | Granite 12x50 NEW! | China | 775 |

SPECIALTY BINOCULARS

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|--|--------|-----------|
| 71189-A | Oceana® 7x50 Porro WP CF & RC - Black | China | 208 |
| 71189-B | Oceana® 7x50 Porro WP IF and RC - Olive NEW! | China | 217 |

MONOCULARS

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|--|--------|-----------|
| 71213 | UpClose G2 10x25 - Monocular - Box NEW! | China | 17 |
| 71214 | UpClose G2 10x25 - Monocular - Clam NEW! | China | 17 |
| 71210 | Nature 10x25 Monocular | China | 53 |
| 71210-C | Nature 10x25 Monocular - Clam NEW! | China | 53 |
| 71211 | Outland 6x30 Monocular | China | 46 |
| 71211-C | Outland X 6x30 Monocular - Clam NEW! | China | 46 |
| 71212 | Oceana 8x42 Monocular | China | 114 |

ULTIMA® REFRACTORS

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-----------------------|---|--------|-----------|
| 52248 | Ultima 65 - 45° | • 65 mm (2.6") diameter 45° angled refracting spotting scope • Waterproof • 386 mm focal length (f/5.9) • Multi-coated optics • 18-55x zoom eyepiece • Sighting tube • Soft case | China | 205 |
| 52249 | Ultima 65 - Straight | • Same as #52248, except this is a straight through version | China | 201 |
| 52250 | Ultima 80 - 45° | • 80 mm (3.1") diameter 45° angled refracting spotting scope • Waterproof • 480 mm focal length (f/6) • Multi-coated optics • 20-60x zoom eyepiece • Sighting tube • Soft case | China | 281 |
| 52254 | Ultima 80 - Straight | • Same as #52250, except this is a straight through version | China | 276 |
| 52252 | Ultima 100 - 45° | • 100 mm (3.9") diameter 45° angled refracting spotting scope • Waterproof • 540 mm focal length (f/5.4) • Multi-coated optics • 22-66x zoom eyepiece • Sighting tube • Soft case | China | 490 |
| 52257 | Ultima 100 - Straight | • Same as #52252, except this is a straight through version | China | 482 |

MAKSUTOV-CASSEGRAIN

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-----------------|---|--------|-----------|
| 52233 | C50 Mini MAK WP | • 50 mm (2") diameter 45° angled Maksutov spotting scope • 580 mm focal length (f/11.6) • Multi-coated optics • 25-75x zoom eyepiece • 1.25" eyepiece adapter • Table tripod • Waterproof • Soft carrying case | China | 139 |
| 52238 | C70 Mini MAK | • 70 mm (2.8") diameter 45° angled Maksutov spotting scope • 750 mm focal length (f/10.7) • Multi-coated optics • 25-75x zoom eyepiece • 1.25" eyepiece adapter • Table tripod • Soft carrying case | China | 148 |
| 52268 | C90 Mak | • 90 mm (3.5") diameter Maksutov spotting scope • 1250 mm focal length (f/13.9) • Multi-coated optics • 32 mm Plössl eyepiece - 1.25" (39x) • 8x21 erect image finderscope • Erect image diagonal 45°-1.25" • Backpack • Built-in T-adapter | China | 280 |

SCHMIDT-CASSEGRAIN

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|------------------|--|--------|-----------|
| 52291 | C5 Spotter (XLT) | • 127 mm (5") diameter Schmidt-Cassegrain spotting scope • 1250 mm focal length (f/10) • Starbright XLT multi-coated optics • 25 mm Plossl eyepiece - 1.25" (50x) • 6x30 erect image finderscope • Erect image diagonal - 45°-1.25" • Visual back 1.25" • Photo tripod adapter • Soft sided case | China | 695 |

REGAL® F-ED REFRACTORS

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|---------------|---|--------|-----------|
| 52301 | Regal 65 F-ED | • 65 mm (2.6") diameter 45° angled APO refracting spotting scope • Waterproof • 386 mm focal length (f/6) • Fully multi-coated optics • Low dispersion fluoro ED glass • 16-48x zoom eyepiece • Soft case | China | 704 |
| 52302 | Regal 80 F-ED | • 80 mm (3.1") diameter 45° angled APO refracting spotting scope • Waterproof • 480 mm focal length (f/6) • Fully multi-coated optics • Low dispersion fluoro ED glass • 20-60x zoom eyepiece • Soft case | China | 982 |

| | | | | |
|-----------------------------------|------------------------------------|---|--------|-----------|
| 52303 | Regal 100 F-ED | • 100 mm (3.9") diameter 45° angled APO refracting spotting scope • Waterproof • 540 mm focal length (f/5.4) • Fully multi-coated optics • Low dispersion fluoro ED glass • 22-67x zoom eyepiece • Soft case | China | 1 175 |
| UPCLOSE® REFRACTORS SERIES | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 52228 | 50 mm Zoom | • 50 mm (2") diameter refracting spotting scope • Waterproof • 303 mm focal length (f/6) • Fully coated optics • 15-45x zoom eyepiece • Tabletop tripod • Soft case • Aluminum carrying case | China | 108 |
| 52229 | 60 mm Zoom | • 60 mm (2.4") diameter refracting spotting scope • Waterproof • 341 mm focal length (f/5.7) • Fully coated optics • 20-60x zoom eyepiece • Tabletop tripod • Soft case • Aluminum carrying case | China | 125 |
| 52222 | 50 mm Zoom - 45° | • 50 mm (2") diameter refracting spotting scope • Waterproof • 303 mm focal length (f/6) • Fully coated optics • 45° 15-45x zoom eyepiece • Tabletop tripod • Soft case • Aluminum carrying case | China | 117 |
| 52223 | 60 mm Zoom - 45° | • 60 mm (2.4") diameter refracting spotting scope • Waterproof • 341 mm focal length (f/5.7) • Fully coated optics • 45° 20-60x zoom eyepiece • Tabletop tripod • Soft case • Aluminum carrying case | China | 131 |
| MICROSCOPES | | | | |
| BIOLOGICAL MICROSCOPES | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 44121 | Microscope Kit | • Biological microscope • 40x to 600x Power • 10x to 20x zoom eyepiece • Objectives 4x, 15x, 30x • Top and bottom electric illumination • 3 prepared slides • Available in master carton with 6 pieces | China | 51 |
| 44125 | Micro360™ - NEW! | • Compound (High Power) • Monocular • Powers – 40x/64x/100x/160x/400x/640x • Eyepieces – 10x/16x • Objectives – 4x/10/40x • 360° rotation • Top and bottom LED illumination • Diaphragm and filter wheel • 8 prepared slides | China | 119 |
| 44102 | Laboratory | • Compound (High Power) • Monocular • Powers – 40x/100x/400x • Eyepiece – 10x • Objectives – 4x/10/40x • Arm adjustable 0° to 60° • Illumination – 50 mm (2") mirror • Plain stage – 110 mm x 120 mm (4.3" x 4.7") • Basic condenser • 5-disc diaphragm • Coarse and fine focus • 5 prepared slides | China | 181 |
| 44104 | Advanced 500 | • Compound (High Power) • Monocular • Powers - 40/50/100/125/400/500 • Eyepieces -10x/12.5x • Objectives - 4x/10x/40x • Arm adjustable 0° to 60° • Illumination - 50 mm (2") mirror and electrical • 115-volt AC • Mechanical stage - 115 mm x 125 mm (4.5" x 4.9") • Abbe condenser • Iris diaphragm • Coarse and fine focus • Blue filter • 5 prepared slides | China | 262 |
| 44106 | Advanced 1000 | • Compound (High Power) • Monocular • Powers - 40x/100x/400x/1000x • Eyepiece - 10x wide field • Objectives - 4x/10x/40x/100x • 45° inclined and 360° rotatable head • Illumination -50 mm (2") mirror and LED (battery operated) • Mechanical stage - 115 mm x 125 mm (4.5" x 4.9") • Abbe condenser • Iris diaphragm • Coarse and fine focus • Filters - blue/green/yellow • 5 prepared slides | China | 470 |
| 44108 | Professional 1500 | • Compound (High Power) • Powers - 40x/60x/100x/150x, 400x/600x/1000x/1500x • Eyepieces - 10x/15x wide field • Objectives - 4x/10x/40x/100x • 360° rotatable binocular head - 45° inclined • Illumination-built-in halogen electric • Mechanical stage - 132 mm x 140 mm (5.2" x 5.5") • Abbe condenser • Iris diaphragm • Coaxial coarse/fine focus • Filters -blue/green/yellow • 5 prepared slides • 115-volt AC | China | 894 |
| STEREO MICROSCOPES | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 44202 | Advanced | • Stereo (Low Power) • Powers - 20x/40x • Eyepieces - 10x wide field • Objectives - 2x/4x • Binocular head rotates 360° and 45° inclined • Stage diameter 95 mm (3.7") • Stage plates -black/white and frosted/opaque • Illumination-top and bottom halogen • Working distance -110 mm (4.3") • 5 prepared slides • 115-volt AC. | China | 403 |
| 44206 | Professional Stereo Zoom | • Stereo (Low Power) • Powers - zoom 10x to 67x • Eyepieces - 15x extra wide field • Zoom objective - 0.7x to 4.5x • Binocular head rotates 360° and 45° inclined • Stage diameter 95 mm (3.7") • Stage plates-black/white and frosted/opaque • Illumination-top (halogen) and bottom (fluorescent) • Working distance - 200 mm (7.9") • 5 prepared slides • 115-volt AC | China | 1 036 |
| DIGITAL MICROSCOPES | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 44300 | Handheld Digital | USB 2.0 powered Digital microscope, powers-20x & 400x, digital camera for snapshots & video, LED illumination, PC and Mac compatible | China | 119 |
| 44301 | Mini Handheld Digital - Clam | • Handheld digital microscope • 15x to 30x and 150x digital Power • 1.3mp digital camera for snapshots and video • LED illuminator • Photo management software • Powered by USB 2.0 cable | China | 54 |
| 44302 | Handheld Digital II | • Handheld digital microscope (HDM II) • 10x to 40x & 150x digital Power • 1.3mp digital camera for snapshots and video • LED illuminator • Photo management software • Powered by USB 2.0 cable | China | 85 |
| 44305 | Mini Handheld Digital- Box NEW! | • Handheld digital microscope • 15x to 30x and 150x digital Power • 1.3mp digital camera for snapshots and video • LED illuminator • Photo management software • Powered by USB 2.0 cable | China | 53 |
| 44306 | Handheld Digital and Optical | • Handheld digital microscope • 20x to 200x digital Power • 2mp digital camera for snapshots and video • Adjustable brightness LED illumination • 20x eyepiece for optical viewing – 8x and 50x Optical Power • ArcSoft Photo software • USB 2.0 Cable • Powered by two AAA batteries (user supplied) | China | 164 |
| 44302-A | Deluxe Handheld Digital | • Handheld digital microscope • 10x to 40x and 150x digital Power • 2mp digital camera for snapshots and video • LED illuminator • Photo management software • Powered by USB 2.0 cable • Stand included | China | 78 |
| 44302-B | Deluxe Handheld Digital - Box NEW! | • Handheld digital microscope • 10x to 40x and 150x digital Power • 2mp digital camera for snapshots and video • LED illuminator • Photo management software • Powered by USB 2.0 cable • Stand included | China | 72 |
| 44310 | LCD Handheld Digital - Clam | • Handheld digital microscope with 2.4" LCD • 3.5x and 50x Optical Power and digital power up to 225x • 4x Digital zoom • 3mp digital camera for snapshots and video • Adjustable brightness LED illumination • USB 2.0 Cable • Pouch • Powered by two AAA batteries (user supplied) | China | 134 |
| 44311 | Portable LCD Digital- Box NEW! | • Handheld digital microscope with 2.4" LCD • 3.5x and 50x Optical Power and digital power up to 225x • 4x Digital zoom • 3mp digital camera for snapshots and video • Adjustable brightness LED illumination • USB 2.0 Cable • Pouch • Powered by two AAA batteries (user supplied) | China | 133 |
| DIGITAL MICROSCOPES | | | | |
| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
| 44320 | Digital Kit | • Biological microscope with digital camera for viewing or imaging • 40x to 600x Power • 10x to 20x zoom eyepiece • Objectives 4x, 15x, 30x • Top and bottom electric illumination • 3 prepared slides. | China | 77 |
| 44325 | Amoeba™ Digital - Blue NEW! | • Biological USB digital microscope • 10x - 60x, 200x Power • 1.3mp digital camera for snapshots and video • Top and bottom LED illumination • Photo Software • USB 2.0 Cable • 8 Prepared Slides | China | 100 |
| 44326 | Amoeba™ Digital - Gray NEW! | • Biological USB digital microscope • 10x - 60x, 200x Power • 1.3mp digital camera for snapshots and video • Top and bottom LED illumination • Photo Software • USB 2.0 Cable • 8 Prepared Slides | China | 100 |
| 44330 | Handheld Digital and Optical | • Digital and optical biological microscope • 2mp digital camera for viewing or imaging • 100x to 400x Power • 20x eyepiece • Objectives – 5x, 10x, 20x • Bottom LED illuminator • ArcSoft Photo software • Powered by two AAA batteries (user supplied) • USB 2.0 cable • 3 prepared slides | China | 276 |
| 44340 | LCD Digital | • Digital biological microscope • View with 3.5" LCD screen • 40x to 400x Power and up to 1600x with 4x digital zoom • Built-in 2mp digital camera • 512MB internal memory • SD card slot • Top and bottom LED illumination • Mechanical stage • AC power cord • Carrying case • 5 prepared slides. | China | 317 |
| 44342 | LCD Digital (LDM-E) | • Digital biological microscope • View with 2" LCD screen • 24x to 240x Power and up to 1920x with 8x digital zoom • Built-in 2mp digital camera • 32MB internal memory • SD card slot • Bottom LED illumination • Slide holder • AC adapter • Five prepared slides | China | 209 |

| | | | | |
|-------|-----------------------------|---|-------|-----|
| 44345 | LCD Deluxe Digital | • Deluxe digital biological microscope n View with 3.5" LCD touch screen • 40x to 400x Power and up to 1600x with 4x digital zoom • Built-in 2mp camera • 1 GB internal memory • SD card slot • Top and bottom LED illumination • Mechanical stage • Quad nosepiece • Dual focus • Filter wheel and diaphragm • USB cable • 7 prepared slides • AC power cord • Carrying case | China | 403 |
| 44348 | PentaView™ LCD Digital NEW! | • PentaView digital biological microscope • View with 4.3" LCD touch screen • 40x to 600x Power and up to 2400x with 4x digital zoom • Built-in SMP camera • 4 GB SD card • Top and bottom LED illumination • Mechanical stage • Quad nosepiece • Dual focus • Filter wheel and diaphragm • USB cable • 10 prepared slides • AC power cord • Carrying case | China | 572 |

MICROSCOPE ACCESSORIES

| Item No. | MODEL | DESCRIPTION | Origin | Price USD |
|----------|-------------------------------------|--|--------|-----------|
| 44421 | Digital Microscope Imager | • USB 2.0 powered digital imager that works on all Celestron microscopes and virtually all compound and stereo microscopes • Digital camera – 2MP | China | 65 |
| 44430 | LCD Display with Digital Camera | • View with 3.5" LCD screen • Built-in 3mp digital camera • 32MB internal memory • SD card slot • USB Cable • Cable for TV viewing • AC adapter • Adapts to virtually all microscopes with supplied adapters | China | 463 |
| 44410 | Prepared Slides - 25 piece box | • Set of 25 pieces of glass prepared slides of insect parts, plant parts, animal parts, etc. • 1"x3" (25 mmx76 mm) • Enclosed in a wooden case | China | 28 |
| 44412 | Prepared Slides - 100 piece box | • Same as # 44410 but with 100 piece set | China | 104 |
| 44416 | Blank Slides - 72 piece box | • 25.4 mm x 76.2 mm x 1.1 mm (1"x 3"x 0.043") • Premium quality glass | China | 4 |
| 44417 | Blank Concave Slides - 50 piece box | • 25.4 mm x 76.2 mm x 1.1 mm (1"x 3"x 0.043") • Single concave circle of 14 mm (0.55") • Premium quality glass | China | 16 |
| 44418 | Cover Slips - 100 piece box | • 18 mm x 18 mm x 0.15 mm (0.7"x 0.7"x 0.006") • Premium quality glass | China | 2 |
| 44402 | Book | • "The World of the Microscope" • ISBN 978-0-7945-1524-9 | U.S.A. | 17 |

MAGNIFYING GLASSES AND LOUPES

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|--|--------|-----------|
| 44802 | LED Handheld Illuminated Magnifier - 2x | China | 13 |
| 44803 | LED Handheld Illuminated Magnifier with Stand - 2x | China | 20 |
| 44800 | Handheld Bulb Illuminated Magnifier (Loupe) - 10x | China | 36 |
| 44801 | LED Handheld Illuminated Magnifier (Loupe) - 10x | China | 46 |

WEATHER STATIONS

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|--|--------|-----------|
| 47001 | Compact Weather Station | China | 32 |
| 47001-C | Compact Weather Station | China | 29 |
| 47003 | Compact Barometric Weather Station | China | 49 |
| 47005 | Deluxe Compact Weather Station | China | 78 |
| 47007 | Large Format LCD Weather Station | China | 68 |
| 47009 | Deluxe Weather Station | China | 132 |
| 47011 | 4-Color LCD Weather Station | China | 115 |
| 47020 | HomeCast™ Lite NEW! | China | 35 |
| 47021 | HomeCast™ NEW! | China | 58 |
| 47022 | HomeCast™ Deluxe NEW! (For use in North America only) | China | 90 |
| 47023 | HomeCast™ Deluxe NEW! (For use in EU Countries and some adjoining countries) | China | 90 |

ACCESSORIES

OMNI® SERIES EYEPIECES

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|---------------------------|--------|-----------|
| 93316 | Omni Series - 1.25" 4 mm | Taiwan | 46 |
| 93317 | Omni Series - 1.25" 6 mm | Taiwan | 46 |
| 93318 | Omni Series - 1.25" 9 mm | Taiwan | 46 |
| 93319 | Omni Series - 1.25" 12 mm | Taiwan | 46 |
| 93320 | Omni Series - 1.25" 15 mm | Taiwan | 50 |
| 93321 | Omni Series - 1.25" 20 mm | Taiwan | 50 |
| 93323 | Omni Series - 1.25" 32 mm | Taiwan | 80 |
| 93325 | Omni Series - 1.25" 40 mm | Taiwan | 80 |

X-CEL® LX SERIES EYEPIECES

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|--------------------------------|--------|-----------|
| 93420 | X-Cel LX Series - 1.25" 2.3 mm | China | 120 |
| 93421 | X-Cel LX Series - 1.25" 5 mm | China | 120 |
| 93422 | X-Cel LX Series - 1.25" 7 mm | China | 120 |
| 93423 | X-Cel LX Series - 1.25" 9 mm | China | 120 |
| 93424 | X-Cel LX Series - 1.25" 12 mm | China | 120 |
| 93425 | X-Cel LX Series - 1.25" 18 mm | China | 120 |
| 93426 | X-Cel LX Series - 1.25" 25 mm | China | 120 |

ULTIMA® LX SERIES EYEPIECES

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|----------------------------------|--------|-----------|
| 93366 | Ultima LX Series 1.25 - 2" 5 mm | China | 193 |
| 93367 | Ultima LX Series 1.25 - 2" 8 mm | China | 193 |
| 93368 | Ultima LX Series 1.25 - 2" 13 mm | China | 193 |
| 93369 | Ultima LX Series 1.25 - 2" 17 mm | China | 198 |
| 93375 | Ultima LX Series 2" 22 mm | China | 183 |
| 93376 | Ultima LX Series 2" 32 mm | China | 183 |

LUMINOS™ SERIES EYEPIECES

| Item No. | DESCRIPTION | Origin | Price USD |
|----------|------------------------------|--------|-----------|
| 93430 | Luminos Series – 1.25" 7 mm | China | 213 |
| 93431 | Luminos Series – 1.25" 10 mm | China | 234 |
| 93432 | Luminos Series – 1.25" 15 mm | China | 234 |

| | | | |
|--|---|--------|-----------|
| 93433 | Luminos Series – 2" 19 mm | China | 383 |
| 93434 | Luminos Series – 2" 23 mm | China | 396 |
| 93435 | Luminos, Series – 2" 31mm NEW! | China | 554 |
| SPECIALTY EYEPIECES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 94182 | Collimation Eyepiece – 1.25" | China | 61 |
| 94183 | Collimation Tool (for Newtonians) | China | 12 |
| 93230 | Zoom Eyepiece - 8-24 mm – 1.25" | China | 128 |
| 93232 | Deluxe Zoom Eyepiece 8-24 mm – 1.25" & 2" NEW! | China | 450 |
| 93235 | CrossAim Reticle Eyepiece NEW! | China | 98 |
| BARLOW LENSES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93326 | 2x-1.25" – Omni | Taiwan | 77 |
| 93428 | 3x - 1.25" – X-Cel LX® NEW! | China | 154 |
| 93506 | 2x - 1.25" - Ultima | Japan | 180 |
| 93529 | 2x - 1.25" – X-Cel LX® | China | 121 |
| ACCESSORY KITS | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 94303 | Eyepiece and Filter Kit - 1.25" | China | 280 |
| 94305 | Eyepiece and Filter Kit - 2" | Taiwan | 590 |
| 94306 | PowerSeeker Accessory Kit | China | 55 |
| 94307 | AstroMaster Accessory Kit | China | 85 |
| 21024-ACC | FirstScope Accessory Kit | China | 18 |
| CASES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 302070 | Case – (Hard Waterproof for NexStar SE) | U.S.A. | 663 |
| 94003 | Case – NEXSTAR 4/5/6 & 8 OTA's NEW! | China | 340 |
| 94004 | Case – NEXSTAR 8 and 9/11 OTA's NEW! | China | 573 |
| DRIVES / MOTORS | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93514 | Motor Drive, AstroMaster/PowerSeeker | China | 47 |
| 93522 | Motor Drive, DA for CG-4 mounts | China | 209 |
| T-RINGS FOR 35 MM SLR CAMERAS | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93419 | Canon EOS T-Ring | Taiwan | 16 |
| 93402 | Nikon T-Ring | Taiwan | 16 |
| GENERAL ACCESSORIES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93524 | Binocular Tripod Adapter for both Roof and Porro Prism | China | 23 |
| 93588 | Flashlight, Night Vision | China | 14 |
| 93575 | LensPen™ - Optics Cleaning Tool | China | 13 |
| 93774 | Laser Pointer with Telescope Mount | China | 128 |
| 93653-A | Visual Back - 1.25" | Taiwan | 16 |
| 94213 | Universal Mounting Plate, CG-5 | China | 63 |
| 94214 | Universal Mounting Plate, CGE | China | 90 |
| OPTICAL ACCESSORIES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93691 | Binocular Viewer, Stereo | China | 384 |
| 94112-A | Diagonal, Erect Image - 45° - 1.25" | Taiwan | 39 |
| 94115-A | Diagonal, Star - 1.25" | China | 34 |
| 94108 | Diagonal, Erect Image - 90° - 1¼" | China | 52 |
| 94116 | Diagonal, Erect Image - NexStar 4SE | China | 48 |
| 93527 | Diagonal, Mirror - 2" - XLT coating (for SCT telescope) | Taiwan | 270 |
| 51630 | Finderscope, StarPointer | China | 26 |
| 94223 | Polar Finder CG-4 (Omni Mount) | China | 52 |
| 94224 | Polar Finder CG-5 (Advanced Mount) | China | 55 |
| NAVIGATIONAL ACCESSORIES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93920 | Cable, NexStar RS-232 | China | 26 |
| 18775 | Cable, USB to RS-232 Converter | U.S.A. | 72 |
| 93988 | NexStar+ Hand Control, AZ NEW! | China | 170 |
| 93989 | NexStar+ Hand Control, EQ NEW! | China | 170 |
| 93710 | NexRemote Telescope Control Software Package | U.S.A. | 204 |
| 93969 | SkySync™ GPS Accessory | China | 281 |
| 93959 | SkyQ™ Link NEW! | U.S.A. | 168 |
| PHOTOGRAPHIC / VISUAL ACCESSORIES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 94203 | Counterweight, 11 lbs for CGEM | China | 102 |
| 94189 | Counterweight, 17 lbs for CGEM | China | 117 |
| 94187 | Counterweight, 22 lbs for CGE Pro | China | 158 |
| 94186 | Counterweight, Extra 11 lbs (for CG-5 mount) | China | 53 |
| 93626 | Digital Camera Adapter – Universal | Taiwan | 80 |
| 94216 | Dovetail bar (CGE), 8" | China | 43 |

| | | | |
|-----------------------------------|---|---------|-----------|
| 94217 | Dovetail bar (CGE), 9.25" | China | 57 |
| 94218 | Dovetail bar (CGE), 14" | China | 74 |
| 94219 | Dovetail bar (CGE), 11" | China | 57 |
| 52309 | 80 mm Guidescope Package | China | 323 |
| 93786 | Guidescope Rings, 125 mm | China | 135 |
| 93598 | Piggyback Mount - C8, 9 1/4, 11, 14 | USA | 78 |
| 93609 | Piggyback Mount - NexStar 5, 6, 8 | China | 29 |
| 94175 | Reducer/Corrector f/6.3 | Japan | 167 |
| 94176 | Radial Guider | Japan | 258 |
| 94178 | Reducer Lens – for NexImage | Taiwan | 36 |
| 94240 | Reducer Lens .7x - EdgeHD 1400 NEW! | China | 1 138 |
| 94241 | Reducer Lens .7x - EdgeHD 1100 NEW! | China | 1 138 |
| 93625 | T-Adapter, Universal – 1.25" | China | 39 |
| 93633-A | T-Adapter, (C5, 6, 8, 9.25, 11, 14) | Taiwan | 39 |
| 93635-A | T-Adapter, NexStar 4, C90 Mak & C130 Mak | Taiwan | 18 |
| 93640 | T-Adapter/Barlow Lens Universal – 1.25" | China | 28 |
| 93644 | T-Adapter, EdgeHD 8" | China | 44 |
| 93646 | T-Adapter, EdgeHD 9"/11"/14" | China | 85 |
| 93643 | Tele-Extender – Deluxe | Japan | 145 |
| ASTRO IMAGING CAMERAS | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 95555 | Nightscape™ CCD Camera - • One shot color 10.7MP CCD Camera • 4.75 micron square pixels • 2x2, 4x4 binning • Mechanical shutter • Regulated TEC cooling with fan • AstroFX CD • USB Cable • 12VDC Power Cable | Canada | 2 273 |
| 93712 | NexImage [®] | Taiwan | 203 |
| 93711 | NexImage [®] 5MP - Solar System Imager NEW! | Taiwan | 354 |
| 93713 | NexGuide, Autoguider | China | 452 |
| POWER SUPPLIES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 18780A | AC Adapter - 5,4 Amp | China | 40 |
| 18778 | AC Adapter – for any Celestron computerized telescope (except CGE Pro) | China | 38 |
| 18769 | Car Battery Adapter, for any Celestron computerized telescope | China | 26 |
| 18774 | PowerTank™, 12v Power Supply, 7Ah, for any Celestron computerized telescope | China | 118 |
| 18777 | PowerTank 17, 12v Power Supply, 17Ah, for any Celestron computerized telescope | China | 248 |
| TRIPODS / WEDGES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93606 | Tripod, Photographic/Video | China | 43 |
| 93610 | Tripod, AstroMaster AZ | China | 111 |
| 93607 | Tripod, Heavy Duty Alt-Azimuth | China | 119 |
| 93493 | Tripod, Heavy Duty CPC 1100 | China | 748 |
| 93503 | VSP (Vibration Suppression Pads) | U.S.A. | 83 |
| 93664 | Wedge, HD Pro (for CPC 8/9/11 | China | 625 |
| FILTERS | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 94119-10 | Eyepiece Filter Set - 1.25" (21, 80A, 15, Polarizing) | Taiwan | 72 |
| 94119-20 | Eyepiece Filter Set - 1¼" (12, 25, 56, ND-25) | Taiwan | 71 |
| 94119-30 | Eyepiece Filter Set - 1¼" (23A, 38A, 58, ND-50) | Taiwan | 71 |
| 94119-40 | Eyepiece Filter Set - 1¼" (8, ND-13, 47, 82A) | Taiwan | 71 |
| 94119-A | Moon Filter - 1.25" | China | 21 |
| 93621 | Skylight Filter (for SCT's) | Taiwan | 48 |
| 94121 | Minus V Refractor Filter - 1-1/4" | Germany | 72 |
| 93623 | Oxygen III Narrowband Filter - 1.25" | Germany | 134 |
| 93624 | Oxygen III Narrowband Filter - 2" | Germany | 186 |
| 94123 | UHC/LPR Filter - 1.25" | Germany | 121 |
| 94124 | UHC/LPR Filter - 2" | Germany | 173 |
| 94129 | Solar Filter (for NX 4SE) | China | 27 |
| 94138 | Solar Filter (for Omni 102) | China | 13 |
| 94230 | Solar Filter (for Omni 120) | China | 22 |
| 94231 | Solar Filter (for Omni 150, C6N) | China | 27 |
| 94232 | Solar Filter (for Omin 127, NX 5SE) | China | 29 |
| 94234 | Solar Filter (for SLT 102) | China | 24 |
| LENS SHADES | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 94009 | Lens Shade (flexible), C6, C8 | China | 39 |
| 94014 | Lens Shade (flexible), C11 | China | 65 |
| CATALOGS / SKYMAPS / BOOKS | | | |
| Item No. | DESCRIPTION | Origin | Price USD |
| 93895-12 | Celestron Telescope Catalog NEW! | U.S.A. | N/C |
| 93717-11 | Celestron Sports Optics Catalog | U.S.A. | N/C |
| 94000-12 | Celestron Microscope Catalog | U.S.A. | N/C |
| 93685-11 | Celestron Accessory Catalog | U.S.A. | N/C |
| 93722 | SkyMaps, Celestron | U.S.A. | 40 |

Products, pricing and specifications may be changed without notice or obligation